

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: DELUXE POLISH

Product code: 40.150

UFI code: N26K-A3J0-300P-EDGA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Protective polish

Product for special finishing.

Use: professional

1.3 Details of the supplier of the safety data sheet

Company name: Silpar TK snc

Address: Via Rosa Luxemburg 12/14 10093 - Collegno (TO)

Telephone: +39 011 7791177 Fax: +39 011 7791177

Email: sicurezza@silpartkline.com

1.4 Emergency telephone number

Tel. +39 06 68593726 CAVp "Osp. Pediatrico Bambino Gesù - Roma Az. Osp. Univ. Foggia Tel. +39 0881 732326 Az. Osp. "A. Cardarelli" - Napoli Tel. +39 081 7472870 CAV Policlinico "Umberto I" - Roma Tel. +39 06 49978000 CAV Policlinico "A. Gemelli" - Roma Tel. +39 06 3054343 Az. Osp. "Careggi" U.O. Tossicologia Medica - Firenze Tel. +39 055 7947819 CAV Centro Nazionale di Informazione Tossicologica - Pavia Tel. +39 0382 24444 Osp. Niguarda Ca' Granda - Milano Tel. +39 02 66101029 Azienda Ospedaliera Papa Giovanni XXII - Bergamo Tel. +39 800 883300 Azienda Ospedaliera Universitaria Integrata Verona Tel. +39 800 011858

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Reg. EU nº1272/2008 [CLP]

Skin Sens. 1 H317 Eye Irrit. 2, H319 Aquatic Chronic 3 H412

2.2 Label elements



Hazard pictograms:

Signal word: Warning

Hazard statements: H317 Può provocare una reazione allergica cutanea.

H319 Provoca grave irritazione oculare.

H412 Nocivo per gli organismi acquatici con effetti di lunga durata.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand



Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

According to Regulation (EC) 1907/2006 - Regulation 878/2020

P102 Keep out of reach of children

P103 Read label before use

P261 Avoid breathing dust/fume/gas/mist/ vapours/spray.

P280 Wear protective gloves and eye/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/ national/international

regulations

Contains: Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

Substance vPvB: None - Substance PBT: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

N.A.

3.2 Mixtures

1.CAS 2.N° EC 3.N° Index 4.N° REACH	Name	Weight(%)	Classification 1272/2008 (CLP)	
1. Not Available 2. 920-107-4 3. Not Available 4. 01-2119453414-43-XXXX	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, < 2% aromatics	24-25.5	Asp. Tox. 1H304 Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1% LD50 Orale: >300 mg/kg Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412 LD50 Orale: >300 Acute Tox. 3 H301, Acute Tox. 2 H310, Skin Corr. 1C H314, Skin Sens. 1A H317, Eye Dam. 1 H318, Acute Tox. 2 H330, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071 Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06%, Skin Sens. 1A H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 H319: ≥ 0,06% STA Oral: 100 mg/kg, STA Dermal: 50,001 mg/kg, STA Vapour inalhation: 0.501 mg/l	
1. 160901-19-9 2. 931-954-4 3. Not Available 4. Not Available	Alcohols, C12-13 branched and linear, ethoxylated	1.5-2		
1. 68439-50-9 2. 932-106-6 3. Not Available 4. Not Available	Alcohols, C12-14, ethoxylated	0.15-0.2		
1. 55965–84–9 2. Not Available 3. 613–167–00–5 4. Not Available	Mixture of: 5-chloro-2- methyl-2H-isothiazol-3- one; 2-methyl-2H- isothiazol-3-one (3:1)	0,0015 ≤ x < 0,0025		

The full text of the H phrases is given in section 16 of the safety data sheet

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures



Data of issue 16/12/2022

DELUXE POLISH

According to Regulation (EC) 1907/2006 - Regulation 878/2020

Revision 3 of 31/10/2023

Eye contact Remove any contact lenses. Wash immediately and abundantly with water for at least 30/60

minutes, opening the eyelids wide. If eye irritation persists, consult a doctor.

Skin contact Remove contaminated clothing. Rinse skin with a shower immediately. Get medical

advice/attention immediately. Wash contaminated clothing before using it again.

Ingestion Do not under any circumstances induce vomiting. SEEK MEDICAL EXAMINATION

IMMEDIATELY

Inhalation Remove to open air. If unwell, contact a doctor.

4.2 Most important symptoms and effects, both acute and delayed

For symptoms and effects caused by the contained substances, see chap. 11.

4.3 Indication of any immediate medical attention and special treatment needed

In the event of an accident or discomfort, consult a doctor immediately (if possible show the instructions for use or the safety data sheet).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3 Advice for firefighters

GENERAL INFORMATIONS

Cool the containers with jets of water to avoid decomposition of the product and the development of substances potentially dangerous to health. Always wear full fire protection equipment.

EQUIPMENT

Normal fire-fighting clothing, such as an open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN 469), flame retardant gloves (EN 659) and fire fighter boots (HO A29 or A30).

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2 Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3 Methods and material for containment and cleaning up

Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4 Reference to other sections

Refer to sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



Data of issue 16/12/2022 Printing date 31/10/2023

Revision 3 of 31/10/2023

Handle the product after consulting all other sections of this safety data sheet. Avoid dispersing the product into the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep containers closed, in a well-ventilated place, away from direct sunlight. Store containers away from any incompatible materials, checking section 10.

7.3 Specific end use(s)

See section 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

Information not available

Derived No Effect Level (DNEL)

Alcohols, C12-13 branched and linear, ethoxylated

Cutaneous 2 080 mg/kg bw/day (Systemic, chronic)

Inhalation 294 mg/m³ (Systemic, chronic)

Cutaneous 1250 mg/kg bw/day (Systemic, chronic)*

Inhalation 87 mg/m³ (Systemic, chronic)*

Oral 25 mg/kg bw/day (Systemic, chronic)*

Alcohols, C12-14, ethoxylated

Cutaneous 2 080 mg/kg bw/day (Systemic, chronic)

Inhalation 294 mg/m³ (Systemic, chronic)

Cutaneous 1250 mg/kg bw/day (Systemic, chronic)*

Inhalation 87 mg/m³ (Systemic, chronic)*

Oral 25 mg/kg bw/day (Systemic, chronic)*

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1)

Inhalation 0.02 mg/m³ (Local, chronic)

Inhalation 0.04 mg/m³ (Local, acute)

Oral 0.09 mg/kg bw/day (Systemic, chronic)*

Inhalation 0.02 mg/m³ (Local, chronic)*

Oral 0.11 mg/kg bw/day (Systemic, acute)*

Inhalation 0.04 mg/m³ (Local, acute)*

Predicted No Effect Concentration (PNEC)

Alcohols, C12-13 branched and linear, ethoxylated

0.08 mg/L (Water (Fresh))

0.008 mg/L (Water - intermittent release)

0.003 mg/L (Water (Marine))

63.83 mg/kg sediment dw (Sediment (Freshwater))

6.38 mg/kg sediment dw (Sediments (Marine))

1 mg/kg soil dw (Soil)

10 g/L(STP)

Alcohols, C12-14, ethoxylated

0.014 mg/L (Water (Fresh))

0.001 mg/L (Water - intermittent release)

0.004 mg/L (Water (Marine))

0.052 mg/kg sediment dw (Sediment (Freshwater))

0.005 mg/kg sediment dw (Sediments (Marine))

1 mg/kg soil dw (Soil)

^{*} Values that refer to the population



According to Regulation (EC) 1907/2006 - Regulation 878/2020

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

10 g/L(STP)

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1)

3.39 µg/L (Water (Fresh))

3.39 µg/L (Water - intermittent release)

3.39 µg/L (Water (Marine))

0.027 mg/kg sediment dw (Sediment (Freshwater))

0.027 mg/kg sediment dw (Sediments (Marine))

0.01 mg/kg soil dw (Soil)

0.23 mg/L(STP)

Technical controls

Ensure adequate ventilation, especially in confined areas.

Make sure eye washers and showers are close to the workplace.

Use anti-exposure equipment

Provide an emergency exit.

8.2 Exposure controls

Hands protection Protect hands with category work gloves (ref. Standard EN 374).

For the final choice of the material of the work gloves it is necessary to consider:

compatibility, degradation, breakage time and permeation.

In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is not foreseeable. Gloves have a wear time that depends on

the duration and method of use.

substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in

any case limited.

In the event that the substance in question is odorless or its olfactory threshold is higher than the relative exposure limit and in case of emergency, or when the exposure levels are unknown or the concentration of oxygen in the work environment is less than 17% by volume, wear an open-circuit compressed air self-contained breathing apparatus (ref. standard EN 137) or respirator with external air intake for use with a full face mask, half mask or mouthpiece (ref. standard EN 138). Provide an eye wash and emergency shower system.

The product must be used in highly ventilated environments and in the presence of strong localized aspirations, otherwise use the personal protective equipment

indicated

Eye and face protection Wear protective goggles (see standard EN 166).

Body and skin protection: Wear professional long-sleeved overalls and safety footwear (see Regulation 2016/425

and standard EN ISO 20344).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Viscous liquid
Colour:	Light green
Odour:	Characteristic
Odour threshold:	N.A.
pH:	6
Melting point/freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Flash point:	>60 °C
Evaporation rate:	N.A.
Flammability (solid, gas):	N.A.
Upper/lower flammability or explosive limits:	N.A.



According to Regulation (EC) 1907/2006 - Regulation 878/2020

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

110110101100110111012020
N.A.
N.A.
0.98
N.A.
Non-explosive product.
Non-oxidizing product

9.2 Other information

Information not available

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions are expected.

Alcohols, C12-13 branched and linear, ethoxylated

May react with: strong acids, oxidizing agents.

10.4 Conditions to avoid

Avoid exposing the product to high temperatures.

Alcohols, C12-13 branched and linear, ethoxylated

Avoid exposure to: heat sources, UV rays.

10.5 Incompatible materials

Information not available

10.6 Hazardous decomposition products

It does not decompose when used for its intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Unless otherwise specified, the data required by Regulation (EU) 878/2020 indicated below are to be understood N.A.:

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met.

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met.

c) serious eye damage/serious eye irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitization

The product is classified: Skin Sens. 1A H317

e) mutagenicity of germ cells



According to Regulation (EC) 1907/2006 - Regulation 878/2020

Not classified

Based on available data, the classification criteria are not met.

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met.

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met.

h) specific target organ toxicity (STOT) - single exposure

Not classified

Based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) – repeated exposure

Not classified

Based on available data, the classification criteria are not met.

j) danger in case of aspiration

Not classified

Based on available data, the classification criteria are not met.

Metabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Immediate, delayed and chronic effects resulting from short- and long-term exposures

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no relevant component) ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no relevant component)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, < 2% aromatics

It does not meet the classification criteria for this hazard class

CARCINOGENICITY

It does not meet the classification criteria for this hazard class

REPRODUCTION TOXICITY

It does not meet the classification criteria for this hazard class

Harmful effects on sexual function and fertility

Information not available

Harmful effects on the development of offspring

Information not available

Effects on or through breastfeeding

Information not available

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

It does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

It does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

DANGER IN CASE OF ASPIRATION

It does not meet the classification criteria for this hazard class

11.2 Information on other hazards

Data of issue 16/12/2022

Printing date 31/10/2023

Revision 3 of 31/10/2023



According to Regulation (EC) 1907/2006 - Regulation 878/2020

Information not available

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

•	Toxicity						
	Endpoint	Duration test (hours)	Species	Value Dimethyl ether			
	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1)						
	LC50	96h	Danio rerio	0.58 mg/l			
	EC50	48h	Crostacei	1.02mg/L			
	EC10	72h	Alghe	0,188 mg/I/			
Alcohols, C12-14, ethoxylated							
	LC50	96h	Pesce	> 0,1 mg/l			
	EC50	48h	Daphnia magna	> 0,1 mg/l			
	EC50	72h	Desmodesmus subspicatus	> 0,1 mg/l			
	EC10	72h	Scenedesmus subspicatus	> 0,1 mg/l			
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, < 2% aromatics							
	LC50	96	Oncorhynchus mykiss	> 1000 mg/l			
	EC50	48h	Daphnia magna	> 1000 mg/l			
	EC50	72h	Pseudokirchneriella subcapitata	> 1000 mg/l			
Alcohols, C12-13 branched and linear, ethoxylated							
	EC50	72h	Desmodesmus subspicatus	> 0,1 mg/l			
	EC10 -	-	Crostacei	> 0,1 mg/l			

12.2 Persistence and degradability

V

> 60%: 28d: aerobic: OECD Test Guideline 301 B

12.3 Bioaccumulative potential

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1) LOW(LogKOW = 0.0444)

12.4 Mobility in soil

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one (3:1) LOW (KOC = 45.15)

12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain PBT or vPvB substances in percentage greater than 0.1%.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number



N.A.

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023

14.2 UN proper shipping name

N.A.

14.3 Transport hazard class(es)

N.A.

14.4 Packing group

N.A.

14.5 Environmental hazards

N.A.

14.6 Special precautions for user

N.A.

14.7 Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

P3a

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Restrictions related to the product:

Restriction 3

Restrictions relating to the substances contained:

Restriction 75

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2 Chemical safety assessment

A chemical safety assessment was carried out for the following substances contained:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, < 2% aromatics

SECTION 16: OTHER INFORMATION

Full text of H codes mentioned in sections 2-3

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.



According to Regulation (EC) 1907/2006 - Regulation 878/2020

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic organisms.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic organisms with long lasting effects. EUH071 Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

Classification and procedure used to derive it according to regulation (EC) 1272/2008 [CLP] in relation to mixture:

Skin Sens. 1A H317 - Calculation method

Eye Irrit. 2 H319 - Calculation method

Aquatic Chronic 3 H412 - Calculation method

GENERAL BIBLIOGRAPHY

Regulation (EU) 1907/2006 of the European Parliament (REACH)

Regulation (EU) 1272/2008 of the European Parliament (CLP)

Regulation (EU) 2020/878 (Annex II REACH Regulation)

Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)

Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)

Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)

Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)

Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP) Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)

Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)

Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)

Regulation (EU) 2016/1179 (IX Atp. CLP)

Regulation (EU) 2017/776 (X Atp. CLP)

Regulation (EU) 2018/669 (XI Atp. CLP)

Regulation (EU) 2019/521 (XII Atp. CLP)

Delegated Regulation (EU) 2018/1480 (XIII Atp. CLP)

Regulation (EU) 2019/1148

Delegated Regulation (EU) 2020/217 (XIV Atp. CLP)

Delegated Regulation (EU) 2020/1182 (XV Atp. CLP)

Delegated Regulation (EU) 2021/643 (XVI Atp. CLP)

Delegated Regulation (EU) 2021/849 (XVII Atp. CLP)

Delegated Regulation (EU) 2022/692 (XVIII Atp. CLP)

Regulation (EU) 2020/878 of the European Parliament

Data of issue 16/12/2022

Printing date 31/10/2023 Revision 3 of 31/10/2023

Pagina **10** di **11**



The Merck Index. - 10th Edition
Handling Chemical Safety
INRS - Fiche Toxicologique (toxicological sheet)
Patty - Industrial Hygiene and Toxicology
N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products

Changes compared to the previous version: 01/02/03/04/05/06/07/08/09/10/11/12/13/14/15/16

Data of issue 16/12/2022 Printing date 31/10/2023 Revision 3 of 31/10/2023